




Montana Fish, Wildlife & Parks

SHEET INDEX

- 1. TITLE SHEET
- 2. SITE PLAN
- 3. FENCING DETAILS
- 4. FENCING DETAILS
- 5. FENCING DETAILS

KOOTENAI WEST WMA 2018 BOUNDARY FENCE

FWP PROJECT #7135257





Montana Fish, Wildlife & Parks Design & Construction 1522 Ninth Ave. PO Box 200701 Helena, MT 59620-0701 406-841-4000 (ph) 406-841-4004 (fax)

J. MONGOVEN	2/2018	
DRAWN BY:	DATE:	7
CHECKED BY:	DATE:	Ι.

REVISED BY: DATE:

APPROVED BY: DATE:


DATE:

APPROVED BY:

APPROVED BY:

Montana Fish, Wildlife & Parks

Title Sheet KOOTENAI WEST WMA (near Eureka, MT) SHEET: 5



DATE:

DATE:

APPROVED BY:

DATE:

APPROVED BY:


CHECKED BY:


SEGMENT A - B
SEGMENT B - C
SEGMENT C - D
SEGMENT D - E
SEGMENT F - G
SEGMENT G - H
SEGMENT H - I
SEGMENT I - A


Fence Segment	Length (LNFT)	Fence Removal	New 3 - Wire Fence	2 Post Brace Panel	3 Post Brace Panel	5 Post Brace Panel	16' Wire Gate
	LNFT	LNFT	LNFT	EACH	EACH	EACH	EACH
Segment A - B	2,640	2640	2640	4	1	1	-
Segment B - C	2,640	2640	2640	7	-	1	1
Segment C - D	3,960	3960	3960	7	1	1	3
Segment D - E	2,640	2640	2640	5	1	1	-
Segment E - F	1,320	1320	1320	1	2	1	-
Segment F - G	2,640	2640	2640	3	2	4	-
Segment G - H	3,960	3960	3960	7	1	3	-
Segment H - I	6,600	6600	0	-	-	-	-
Segment I - A	6,600	0	0	-	-	-	-
Total	33,000	26 400	19 800	34	8	12	4


2_d 5

Site Map KOOTENAI WEST WMA (near Eureka, MT)









Use mechanical over-center gate -stays

Wire Gate (5 Strand)

NOTES:
All Gate Wire to be Double Strand Smooth. Not To Scale


J. MONGOVEN	2/2018
DRAWN BY:	DATE:
CHECKED BY:	DATE:


REVISED BY:	DATE:	APPROVED BY:	DAT
APPROVED BY:	DATE:	APPROVED BY:	DAT




Montana Fish, Wildlife & Parks Detail Sheet KOOTENAI WEST WMA (near Eureka, MT)

4 of 5 SHEET:





2 POST PANEL



NOTES:

- 1. Refer to the specifications for type of corner panels to use.
- 2. Number of wires, type of wire, and wire spacing same as for fence. Posts shall be set 6 inches deeper than line posts.
- 3. Use spikes at junctures and mortise 1" deep at junctures of posts and braces.
- 4. Maximum spacing between posts shall be 8'-3" c.c.

J. MONGOVEN 2/3 DRAWN BY:	_	APPROVED BY: DATE		Detail Shee	t	
CHECKED BY:	TE: APPROVED BY: DATE	APPROVED BY: DATE	. Tabl . Wildlife (2) Parks	KOOTENAI WEST	WMA (near	Eureka, MT)